

# Journal of Soils and Crops

---

Volume 32

Number 1

June 2022

---

## C O N T E N T S

<b>Domestication and popularization of underutilised and wild fruits for fruit diversification : A review</b> Ritika Mehta <sup>1</sup> , Bornali Gogoi <sup>2</sup> , Himadri Shekhar Datta <sup>3</sup> and Purnima Pathak <sup>4</sup>	<b>1-8</b>
<b>In-silico identification of microRNA-like RNAs and their regulating target functions in <i>Fusarium graminearum</i>, a head blight pathogen of wheat</b> Lalit L. Kharbikar <sup>1</sup> , Arti S. Shanware <sup>2</sup> and Simon G. Edwards <sup>3</sup>	<b>9-18</b>
<b>Isolation, identification and molecular characterisation of chromium tolerant bacteria from industrial effluent and their efficacy study</b> Vishnupriya Kondapalli and B. Sujatha	<b>19-24</b>
<b>Genetic recombination and gene amplification of <i>nif H</i> from free nitrogen fixer <i>Azotobacter chroococcum</i> to <i>Escherichia coli</i> by transformation</b> Vinay V. Chougule <sup>1</sup>	<b>25-29</b>
<b>Characterization and classification of farm soils of regional agricultural research station (RARS), Nandyal, Kurnool District, Andhra Pradesh</b> S. Balaji Nayak <sup>1</sup> , S. Jaffar Basha <sup>2</sup> , M. Jyostna Kiranmai <sup>3</sup> and T. Bhagavatha Priya <sup>4</sup>	<b>30-36</b>
<b>Effect of row spacing, variety and foliar spray on quality, nutrient content and uptake of summer green gram (<i>Vigna radiata</i> L.) under South Gujarat condition</b> P. T. Patel <sup>1</sup> , A. D. Raj <sup>2</sup> and V. R. Jinjala <sup>3</sup>	<b>37-44</b>
<b>Micronutrient status and their relationship with leaf nutrient content of cauliflower (<i>Brassica oleracea</i> var. <i>botrytis</i>) growing areas of Kunah river flood plains in Hamirpur, Himachal Pradesh</b> Anil Kumar <sup>1</sup> , Mohammad Arshad <sup>2</sup> , Shiv Pratap Singh <sup>3</sup> and Swapana Sepehy <sup>4</sup>	<b>45-58</b>
<b>Effect of sowing methods and row ratio on agronomic advantages, competition functions and economics of wheat (<i>Triticum aestivum</i> L.) + Chickpea (<i>Cicer arietinum</i> L.) intercropping</b> Ankushdeep and Rakesh Kumar	<b>59-63</b>
<b>Effect of different application methods of nitrogen at seedling stage and different top dressing methods on yield of rice (<i>Oryza sativa</i> L.)</b> Manish Pradhan <sup>1</sup> , Jamkhogin Lhungdim <sup>2</sup> , Edwin Luikham <sup>3</sup> , A. Herojit Singh <sup>4</sup> , Pawan Kumar <sup>5</sup> and N. Okendro Singh <sup>6</sup>	<b>64-70</b>
<b>Highlighting the potentialities of five underutilised spices used by the Karbi tribe of Assam, India</b> Moromi Engtipi <sup>1</sup> and N.L. Raju <sup>2</sup>	<b>71-75</b>
<b>Study of soil stabilization using soda-lime and coir husk ash in Karewa soils</b> Minsa Ali <sup>1</sup> and Ashish Kumar <sup>2</sup>	<b>76-79</b>
<b>Effect of nitrogen, phosphorus and potassium on growth, yield and economics of hybrid maize (<i>Zea mays</i> L.) under south Gujarat condition</b> K. V. Ram <sup>1</sup> , A. D. Raj <sup>2</sup> and P. M. Sankhla	<b>80-86</b>
<b>Intermolecular interaction of triple super phosphate fertilizer in aqueous soil salt solutions : an ultrasonic study</b> Paritosh L. Mishra <sup>1</sup> , Ajay B. Lad <sup>2</sup> and Urvashi P. Manik <sup>3</sup>	<b>87-91</b>
<b>Preferential flow : A hot spot for biological activity in soils - A case study</b> Pushpanjali <sup>1</sup> , A. Angayarkanni <sup>2</sup> , Ashish S Dhimate <sup>3</sup> , Josily Samuel <sup>4</sup> , A. G. K. Reddy <sup>5</sup> and Sannaila Arun Kumar <sup>6</sup>	<b>92-96</b>

<b>Effect of foliar application of potassium nitrate and salicylic acid on yield, yield attributes and economics of wheat (<i>Triticum aestivum</i> L.)</b>	<b>97-101</b>
Rahul Monga <sup>1</sup> and Rakesh Kumar <sup>2</sup>	
<b>Influence of planting densities and nutrient levels on sweet corn genotypes in North Eastern Himalayan Region of India</b>	<b>101-105</b>
Sanjenbam Dayananda Singh <sup>1</sup> , Jeti Konsam <sup>2</sup> , Nabakishor Nongmaithem <sup>3</sup> , Pushparani Senjam <sup>4</sup> and Diana Samurailatpam <sup>5</sup>	
<b>Testing pathogenicity of white grub, <i>Holotrichia serrata</i> (Fabricius) (Coleoptera : Scarabaeidae) from the Darjeeling foothill tea plantation of Bengal</b>	<b>106-111</b>
S. K. Subba <sup>1</sup> , R. Biswa <sup>2</sup> and M. Sarker <sup>3</sup>	
<b>Influence of different slow release and controlled release fertilizers on yield and nutrient dynamics in soybean production</b>	<b>112-122</b>
S. M. Todmal <sup>1</sup> , H. K. Kausadikar <sup>2</sup> , Syed Ismail <sup>3</sup> and S. L. Waikar <sup>4</sup>	
<b>Evaluation of rice genotypes for bio chemical and yield and yield contributing characters</b>	<b>123-126</b>
Ajay F. Tangle <sup>1</sup> , G. R. Shamkuwar <sup>2</sup> , R. D. Deotale <sup>3</sup> and S.G. Shamkuwar <sup>4</sup>	
<b>Effect of foliar application of iron and zinc on morpho-physiological parameters and yield in safflower (<i>Carthamus tinctorius</i> L.)</b>	<b>127-132</b>
Avinash P. Kesarkar <sup>1</sup> , P. V. Shende <sup>2</sup> , Vinita S. Karad <sup>3</sup> , P. R. Manapure <sup>4</sup> , R. D. Deotale <sup>5</sup> and S. D. Tupkar <sup>6</sup>	
<b>Evaluation of chitosan concentrations for improving chemical, biochemical and yield contributing parameters and yield of chickpea</b>	<b>133-140</b>
Ayushi N. Raut <sup>1</sup> , R.D. Deotale <sup>2</sup> , R.O. Gopale <sup>3</sup> , S. B. Baviskar <sup>4</sup> and V. S. Madke <sup>5</sup>	
<b>Impact of fertilization on uptake of nutrients, nutritional quality and yield of chickpea grown on farmers fields in Chandur Bazar Taluka of Amravati district</b>	<b>141-145</b>
Shraddha V. Bhule <sup>1</sup> , R. M. Ghodpage <sup>2</sup> , S. S. Balpande <sup>3</sup> and A.R. Mhaske <sup>4</sup>	
<b>Genetic analysis in F2 populations of linseed (<i>Linum usitatissimum</i> L.)</b>	<b>146-149</b>
Yogesh P. Gite <sup>1</sup> , Prema R. Manapure <sup>2</sup> , Prashant V. Shende <sup>3</sup> , Shanti R. Patil <sup>4</sup> , Beena M. Nair <sup>5</sup> and Aambadas R. Aade <sup>6</sup>	
<b>Effect of nutrient management practices on sulphur dynamics under chickpea grown in farmers field of Indapur taluka</b>	<b>150-154</b>
Akshay D. Kate <sup>1</sup> , R.M. Ghodpage <sup>2</sup> , A.R. Mhaske <sup>3</sup> , Kajal D. Bhoyar <sup>4</sup> and Bharat P. Rathod <sup>5</sup>	
<b>Response of maize to silicon application</b>	<b>155-158</b>
S.S. Mane <sup>1</sup> , K. T. Jadhav <sup>2</sup> and P. P. Markande <sup>3</sup>	
<b>Evaluation of white and pigmented rice cultivars for morpho-physiological characters and yield</b>	<b>159-163</b>
Krunal N. Bele <sup>1</sup> , Gautam R. Shamkuwar <sup>2</sup> , Rajesh D. Deotale <sup>3</sup> , Aditi S. Deshmukh <sup>4</sup> and Sahil G. Shamkuwar <sup>5</sup>	
<b>Analysis of soil to ensure NPK proportion at various sites of Panewadi village, District Nashik (M.S.) India</b>	<b>164-166</b>
Balaji Pandurang More <sup>1</sup>	
<b>Cost of milk production of milch buffaloes maintained in nilanga tahsil of Latur district</b>	<b>167-170</b>
Priyanka Katke <sup>1</sup> , V. G. Atkare <sup>2</sup> and N. D. Kapgate <sup>3</sup>	
<b>Effectivity of different sowing dates on chemical, biochemical, yield and yield traits in mustard genotypes</b>	<b>171-179</b>
Rahul Gopale <sup>1</sup> , R. D. Deotale <sup>2</sup> , Ayushi Raut <sup>3</sup> , S. R. Kamdi <sup>4</sup> , S. B. Baviskar <sup>5</sup> and Ambadas Aade <sup>6</sup>	

<b>Estimation of heterosis for yield and yield contributing traits in linseed (<i>Linum usitatissimum</i> L.)</b>	<b>180-183</b>
Suvarnlata D. Shivankar <sup>1</sup> , Beena M. Nair <sup>2</sup> and Dhananjay S. Thikare <sup>3</sup>	
<b>Effect of foliar application of micronutrients on chemical, biochemical parameters and yield attributes in chickpea (<i>Cicer arietinum</i> L.)</b>	<b>184-192</b>
Vinita Sudam Karad <sup>1</sup> , P. V. Sihende <sup>2</sup> , A. P. Kesarkar <sup>3</sup> , V. S. Madake <sup>4</sup> and S. D. Tupkar <sup>5</sup>	
<b>Impact of stress irrigation management through partial root-zone drying on yield and soil parameters of tomato (<i>Lycopersicon esculentum</i> Mill.)</b>	<b>193-199</b>
Komal Chavan <sup>1</sup> , P. S. Bodake <sup>2</sup> , V.G. Raut <sup>3</sup> and Darshana Kadam <sup>4</sup>	
<b>Economics of different integrated farming system models, under irrigated condtions of Western Maharashtra</b>	<b>200-207</b>
P. P. Kharche <sup>1</sup> , U. S.Surve <sup>2</sup> , A. D.Tumbare <sup>3</sup> and V. G. Raut <sup>4</sup>	
<b>Studies on involvement of rural woman in preparation of milk and milk products in Tirora Tahsil of Gondia District (M.S.)</b>	<b>208-211</b>
Rubi Katre <sup>1</sup> , V. G. Atkare <sup>2</sup> , N. S. Chore <sup>3</sup> and Pranav Adpawar <sup>4</sup>	
<b>Seed viability and vigour assessment of different seed lots of tetraploid and diploid cotton</b>	<b>212-216</b>
RadheshamV. Hatzade <sup>1</sup> , Sunil S. Mahajan <sup>2</sup> , Eugenia P. Lal <sup>3</sup> ,Suchit A. John <sup>4</sup> and Pradip K. Shukla <sup>5</sup>	