

# Journal of Soils and Crops

Volume 33

Number 1

June 2023

## C O N T E N T S

<b>The status of calcium in the northern citrus orchards of Iran (Mazandaran province)</b> Seyed Ali Ghaffari Nejad <sup>1</sup> , Ali Asadi Kangarshahi <sup>2</sup> , Seyed Majid Mousavi <sup>3</sup> and Majid Esmaeili <sup>4</sup>	1-7
<b>Insect systematics, biosecurity and limitations using DNA barcoding : A Review</b> Arshdeep Singh <sup>1</sup> , Sheikh Salma Irshad <sup>2</sup> and Prasad Burange <sup>3</sup>	8-18
<b>Sorghum is climate smart crop - A review</b> Mithu Gogoi <sup>1</sup> , Swagata Saikia <sup>2</sup> , Dipta Som <sup>3</sup> and Vivekananda Behera <sup>4</sup>	19-23
<b>Effect of INM on growth, quality and yield of African marigold (<i>Tagetes erecta</i> L.) under high hill condition of Uttarakhand, India</b> Priti Ranjan <sup>1</sup> and Mamta Bohra <sup>2</sup>	24-29
<b>Estimation on wheat crop acreage, health and yield using remote sensing and GIS techniques in Alwar district of Rajasthan</b> Gaurav Tripathi <sup>1</sup> , Rahul Saini <sup>2</sup> , Shruti Kanga <sup>3</sup> , Suraj Kumar Singh <sup>4</sup> and Priyanka Roy <sup>5</sup>	30-39
<b>Effect of sulphur, organic manures and biofertilizers on yield and nutrient content of summer green gram (<i>Vigna radiata</i> L.)</b> N. M. Chaudhari <sup>1</sup> , K. H. Patel <sup>2</sup> , A. D. Raj <sup>3</sup> , S. M. Bambhaneeya <sup>4</sup> and N. H. Garaniya <sup>5</sup>	40-45
<b>Role of integrated nutrient management on availability of macro and micron nutrients in soil and hybrid kharif maize (<i>Zea mays</i> L.) grains</b> Parminder Kaur <sup>1</sup> and Rakesh Kumar <sup>2</sup>	46-51
<b>Biopreservation of fresh vegetables using lactic acid bacteria</b> D. Rajkumar <sup>1</sup> and E. Anusuya <sup>2</sup>	52-57
<b>Effect of variety and row spacing on quality, nutrient content and uptake of summer cowpea [<i>Vigna unguiculata</i> (L.) Walp.] under south Gujarat condition</b> A. R. Ram <sup>1</sup> , A. D. Raj <sup>2</sup> , V. Surve <sup>3</sup> and P. M. Sankhala <sup>4</sup>	58-62
<b>Impact of different land configurations with integrated nutrient management on quality and productivity of kharif maize (<i>Zea mays</i> L.)</b> Parminder Kaur <sup>1</sup> , Rakesh Kumar <sup>2</sup> , Veerpartap Singh <sup>3</sup> and Navjot Singh Dhillon <sup>4</sup>	63-67
<b>Effect of sources and levels of sulphur on growth, yield and economics of summer cowpea (<i>Vigna unguiculata</i> L. Walp.) under south Gujarat condition</b> T. B. Patel <sup>1</sup> , A. D. Raj <sup>2</sup> , V. Surve <sup>3</sup> , P. M. Sankhala <sup>4</sup> and V. T. Parmar <sup>5</sup>	68-72
<b>Integrated nutrient management studies in pea (<i>Pisum sativum</i> L.) under sub-montane and low hills subtropical zone of Himachal Pradesh</b> Anil Kumar <sup>1</sup> , Manisha Kumari <sup>2</sup> and Swapana Sepehry <sup>3</sup>	73-77
<b>Evaluation of plant growth promoting potential and biocontrol activities of <i>Bacillus</i> sp. strain CA, a Rhizobacteria from <i>Chakhao Amubi</i></b> Sajida Sultana <sup>1</sup> and Debananda S. Ningthoujam <sup>2</sup>	78-84
<b>Inventory of indigenous technical knowledge and extent of usage of field implements of Angami tribe, Nagaland, India</b> Thejanei-i Nagi <sup>1</sup> , Mary N. Odyuo <sup>2</sup> and J. Longkumer <sup>3</sup>	85-89
<b>Influence of foliar nutrients on growth, yield attributes and yield of spring sunflower in southern part of West Bengal</b> Rambilash Mallick <sup>1</sup> and Shubhadip Kar <sup>2</sup>	90-93
<b>Effect of various sources of nutrients on growth and yield of late sown wheat (<i>Triticum aestivum</i> L.)</b> Harkirat Kaur <sup>1</sup> and Rakesh Kumar <sup>2</sup>	94-98
<b>Field efficacy of <i>Lecanicillium lecanii</i> and combination of entomopathogenic fungi against rice stem borer (<i>Scirphophaga incertulas</i> L.) and leaf folder (<i>Cnaphalocrocis medinalis</i> L.) under natural field condition</b> PojalVerma <sup>1</sup> , V. K. Nirmalkar <sup>2</sup> , Hemlata Rajwade <sup>3</sup> and R.K.S. Tiwari <sup>4</sup> Kshitij Shah <sup>1</sup> and P.A. Pawar <sup>2</sup>	99-105

<b>Toxigenic potential of <i>Alternaria porri</i> on onion (<i>Allium cepa</i> L.)</b>	<b>106-110</b>
P.D.Bhandekar <sup>1</sup> , V.S.More <sup>2</sup> , A.L.Uparkar <sup>3</sup> , R. J.Choudhari <sup>4</sup> and G.K.Giri <sup>5</sup>	
<b>Effect of time of sowing and row spacing on growth, yield and economics of soybean (<i>Glycine max</i> L.)</b>	<b>111-114</b>
H.S. Patel <sup>1</sup> , V. Surve <sup>2</sup> , S.M. Bambhanieya <sup>3</sup> and A. D. Raj <sup>4</sup>	
<b>Effect of different nutrient solutions on rooting of <i>Acmella calva</i> (DC.)</b>	<b>115-119</b>
<b>R.K. Jansen in hydroponic system</b>	
P. Shanthi <sup>1</sup> , P. Amudha <sup>2</sup> , C. Sownthariya <sup>3</sup> , S. Anushya <sup>4</sup> and S. Jennifer <sup>5</sup>	
<b>Determination of antibacterial potential of Melghat honey samples</b>	<b>120-124</b>
Kshitij N. Shah <sup>1</sup>	
<b>Morphological and anatomical studies on panneer naval (<i>Syzygium aqueum</i>)</b>	<b>125-131</b>
K. Bhavani <sup>1</sup> , S. Suji <sup>2</sup> , C. Surya Siva Sakthi <sup>3</sup> , P. Thaslima Nasrin <sup>4</sup> and S. Yasmin <sup>5</sup>	
<b>Effect of emulsifier calcium stearoyl lactate on characteristics of bread</b>	<b>132-137</b>
D. Rajkumar <sup>1</sup> and Janaki Pandiyan <sup>2</sup>	
<b>Performance of wheat (<i>Triticum aestivum</i>) cultivars under poplar (<i>Populus deltoides</i>) based agroforestry system</b>	<b>138-142</b>
Manish Kumar <sup>1</sup> and Amit Larkin <sup>2</sup>	
<b>Constraints faced by the members of dairy co-operative societies</b>	<b>143-146</b>
D.D.Patange <sup>1</sup> , S.T.Mane <sup>2</sup> , J.J.Pawar <sup>3</sup> , R.S.Pawar <sup>4</sup> , P.P.Inamdar <sup>5</sup> and M. T. Wagmode <sup>6</sup>	
<b>Studies on weed management practices on growth and yield of kharif maize (<i>Zea mays</i> L.)</b>	<b>147-151</b>
K. T. Jadhav <sup>1</sup> , S. S. Mane <sup>2</sup> , R. K. Sathe <sup>3</sup> and V.S. Gavande <sup>4</sup>	
<b>Ground water potential zone delineation using geospatial technique : A case study of Bikaner block, Rajasthan, India</b>	<b>152-161</b>
Bhartendu Sajan <sup>1</sup> , Vinay Kumar Bhardwaj <sup>2</sup> , Suraj Kumar Singh <sup>3</sup> , Shruti Kanga <sup>4</sup> and Priyanka Roy <sup>5</sup>	
<b>Heterobeltiosis and useful heterosis studies in different species of mustard (<i>Brassica</i> Sp.)</b>	<b>162-167</b>
Vasundhara A. Chaudhari <sup>1</sup> , Sandeep R. Kamdi <sup>2</sup> , Shivam Barde <sup>3</sup> and Jyoti G. Shinde <sup>4</sup>	
<b>Evaluation of soil layers around bar, Pali district, Rajasthan</b>	<b>168-173</b>
Hemant Prakash <sup>1</sup>	
<b>Adoption of improved cultivation practices of ginger (<i>Zingiber officinale</i> L) in Tuensang district, Nagaland, India</b>	<b>174-177</b>
Mary N. Odyuo <sup>1</sup> , Tongchingkhumla A. Jongbo <sup>2</sup> and J. Longkumer <sup>3</sup>	
<b>Impact of different rice residue management practices with varying levels of nitrogen application on quality and productivity of wheat (<i>Triticum aestivum</i> L.)</b>	<b>178-183</b>
Gurbir Singh <sup>1</sup> and Manpreet Singh <sup>2</sup>	
<b>Genetic variability studies in semi rabi local germplasms of sesame</b>	<b>184-189</b>
Prajakta N. Chandawar <sup>1</sup> , Prema R. Manapure <sup>2</sup> , Shanti R. Patil <sup>3</sup> , Prashant V. Shende <sup>4</sup> , Jyoti G. Shinde <sup>5</sup> , Vandana S. Madke <sup>6</sup> and Mahesh G. Gujar <sup>7</sup>	
<b>Effect of dietary inclusion of azolla (<i>Azolla pinnata</i>) on growth performance and meat characterstics of Satpuda poultry</b>	<b>190-194</b>
N.M.Rathod <sup>1</sup> , S.A.Dhage <sup>2</sup> , S.T.Mane <sup>3</sup> ,J.J.Pawar <sup>4</sup> , R.S.Pawar <sup>5</sup> , and P. P.Inamdar <sup>6</sup>	

<b>Impact of long term fertilization on soil fertility status of soybean growing soils in Risod Tahsil, Washim District, Maharashtra</b>	<b>195-199</b>
Rahul V. Jadhao <sup>1</sup> , Ramkrushna M. Ghodpage <sup>2</sup> , Amruta S. Ekapure <sup>3</sup> and Sanjay S. Balpande <sup>4</sup>	
<b>Character association and path analysis studies for yield and yield contributing traits in soybean mutant progenies</b>	<b>200-206</b>
Shivam R. Barde <sup>1</sup> , Sandeep R. Kamdi <sup>2</sup> , Rani A. Jadhav <sup>3</sup> , Sapna B. Baviskar <sup>4</sup> , Suraj S. Pokale <sup>5</sup> and Arpita P. Mate <sup>6</sup>	
<b>Sensory evaluation and sale price of paneer sold in Wardha city</b>	<b>207-209</b>
Shreya S. Gawande <sup>1</sup> , V. G. Atkare <sup>2</sup> and S. D. Temak <sup>3</sup>	
<b>Assessment of macronutrient status of Bhandara Tehsil, Maharashtra</b>	<b>210-214</b>
Amruta S. Ekapure <sup>1</sup> , Sanjay S. Balapnde <sup>2</sup> , Kajal D. Bhoyar <sup>3</sup> and Rahul V. Jadhao <sup>4</sup>	
<b>New opportunities available with rural dairy farmers of Shirur Tahsil of Pune district in milk processing and milk products manufacturing</b>	<b>215-220</b>
A.V. Agarkar <sup>1</sup> , D.T. Undratwad <sup>2</sup> , V.G. Atkare <sup>3</sup> and Shubhangi G. Parshuramkar <sup>4</sup>	
<b>Effect of land configuration and nutrient management practices on soil fertility status, quality and uptake of nutrients by maize</b>	<b>221-226</b>
R.M. Ghodpage <sup>1</sup> , Padmaja H. Kausadikar <sup>2</sup> , A. R. Mhaske <sup>3</sup> , A. R. Pimple <sup>4</sup> and Nikhil Sarnaik <sup>5</sup>	